





WELCOME
O'DOHERTY'S
IRISH PUB & GRILLE

AWARD WINNING
**O'DOHERTY'S
IRISH GRILLE**
"Restaurant of the Year"
SPOKANE RESTAURANT ASSOCIATION
"Friendliest Service"
ENTERTAINMENT GUIDE
"No. 1 in Draft Sales
in Spokane County"
GUINNESS STOUT & HARP LAGER

O'DOHERTY'S

O'DOHERTY'S
Irish Grille
Smoke Free
Great Food & Drink
Kids Welcome
Slainte

EMERGENCY EXIT
AND
DOOR PROTECTORS FATTO
EXTRAS

Smoke Free
Great Food & Drink
Kids Welcome
Slainte

O'DOHERTY'S
IRISH GRILLE
Great Food & Drink









INSPECTION

926-3428
TACOM

PATRIOT

FIRE PROTECTION, INC.

WWW.PATRIOTFIRE.COM

10005 E. Montgomery Ave.

Spokane, Wa. 99206

☒ Wet	Type of System	
☐ Dry	☐ Preaction	☐ Standpipe
☐ Antifreeze -	☐ Deluge	☐ Range Hood
	☐ Glycol	☐ Glycerine

Riser/Control Valve Feeds 4th Floor

DATE (MM/DD)	<u>12/20</u>			
INSP. INITIALS	<u>MB</u>			
STATIC PSI	<u>-</u>			
RESIDUAL PSI	<u>-</u>			
DID ALARMS RING	<u>YES</u>			
BELL RING TIME	<u>3:30</u>			
AIR PSI	<u>7</u>			
AIR PSI TRIP POINT	<u>7</u>			
TRIP TIME	<u>7</u>			
NO. OF LOW POINT DRAINS	<u>1</u>			
ANTIFREEZE TEST RESULTS	<u>A</u>			
INSP. TEST TIME RESULTS	<u>A</u>			
TYPE OF INSPECTION	<u>A</u>			
LAST	<u>A</u>			

INSPECTOR'S NAME 12-20 Ball

INSPECTOR'S SIGNATURE MB

DATE OF LAST 5 YEAR INSPECTION 2017

DATE OF LAST "WET" TRIP

24 Hour Emergency Service
Daytime/After Hours (509) 926-3428
DO NOT REMOVE TAG

PUMP

ON

OFF

LOW PRESSURE

ON

tyco
SimplexGrinnell


THIS AREA EQUIPPED WITH:

WET SYS.




DELUGE VALVE

DRY SYS.




RATE OF RISE VALVE

ANTI-FREEZE



THERMAL CONTROL VALVE

PRE-ACTION VALVE



OTHER TYPE VALVE



VALVE SERIAL NO.

1st 2nd 3rd 4th

4th FL Wet Riser

STATIC WATER P.S.I.

NA NA

RESIDUAL WATER P.S.I.

NA NA

DID ALARMS OPERATE?

yes yes

AIR PRESSURE

AIR PRESSURE TRIP POINT

TRIP TIME (SEC.)

WATER FLOW TIME (SEC.)

LOW POINTS DRAINED

WATER SUPPLY & VALVE LEFT OPEN

yes yes

Test & Drain

NO. LOW POINTS TO BE DRAINED:

INSPECTION MADE AND WITNESSED BY

DATE & INSP #

MADE BY

WITNESSED BY

12-14-2017

GARDY

Amuel

1/15/19

M. Hahn

Amuel

LANGER LUG. 500-922-0280



















































EXIT

FIRE DOOR - DO NOT OBSTRUCT

STAIR #1


































LEARN FROM MY
MISTAKES



QO LOAD CENTER

COVER CAT. NO. QOC16W

WARNING
DANGER: SHOCK HAZARD. DEENERGIZE BEFORE WORKING ON THIS EQUIPMENT. ALWAYS WEAR APPROPRIATE SAFETY EQUIPMENT.

UL LISTED
UL 489 TYPE QO
SERIAL NO. 12345

CIRCUIT	DESCRIPTION	AMPS	TRIPPED
1	Range	30	
2	Water Heater	30	
3	Heat	30	
4	Hot tank	30	
5	Lighting	15	
6	Lighting	15	
7	Lighting	15	
8	Lighting	15	
9	Lighting	15	
10	Lighting	15	
11	Lighting	15	
12	Lighting	15	
13	Lighting	15	
14	Lighting	15	
15	Lighting	15	
16	Lighting	15	

SCHEMATIC

1-2-3-4-5-6-7-8-9-10-11-12-13-14-15-16

1-2-3-4-5-6-7-8-9-10-11-12-13-14-15-16

1-2-3-4-5-6-7-8-9-10-11-12-13-14-15-16



































BOF

No 1











